



SPEEDAIRE Refrigerated Air Dryer: ISO Class 6, 25 cfm, 115V AC, 3/4 in NPT, 46°F Dew Point, 0.41 kW

Item 3YA51 Mfr. Model 3YA51

Web Price ⁱ**\$1,554.20** / each

This item requires special shipping, additional charges may apply.

Qty
1**Add to Cart** Ship PickupExpected to arrive
Mon. Mar 20 - Tue. Mar 21.Ship to 06006 | [Change](#)Shipping Weight **88 lbs**[Ship Availability Terms](#)[Add to List](#)

Product Details

Catalog Page [2587](#)ISO Class **6**Maximum Flow **25 cfm**Input Voltage **115V AC**Dew Point **46 °F**Maximum Inlet Temperature **120 °F**Power **0.41 kW**Series **HPR**Brand **SPEEDAIRE**Phase **Single**Air Inlet Size **3/4 in**Air Inlet Type **NPT**Air Inlet Gender **Female**Maximum Air Compressor Horsepower **7.5 hp**Manufacturer Part Number **3YA51**Includes **6 ft Power Cord; Pneumatic Drain**Refrigeration Compressor Horsepower **0.25 hp**Cycling Type **Non-Cycling**Maximum Incoming Pressure **250 psi**

Documents

[Operating Instructions & Parts Manual](#)[Alternate Products](#) ⁱ**INGERSOLL RAND**
Refrigerated Air Dryer: ISO
Class 6, 25 cfm, 115V AC, 1/2
in NPT, 50°F Dew Point, DItem **2HUF1**Web Price ⁱ**\$2,418.97** / eachQty
1**Add to Cart**

Finish **Powder Coated**

Air Outlet Size **3/4 in**

Air Outlet Type **NPT**

Bracket Kit Included **Yes**

Cord Length **6 ft**

Drain Included **Yes**

Drain Type **Pneumatic Drain**

Electrical Connection Type **115V AC Plug**

Features **On/Off Switch; Power On Light**

Frequency **60 Hz**

Full Load Current **6 A**

Heat Exchanger Material **Copper**

Maximum Ambient Temperature **113 °F**

Maximum Flow @ 100 psi **25 cfm**

Overall Depth **16 in**

Overall Height **22 in**

Overall Width **15 in**

Refrigerant **R-134A**

UNSPSC **23201202**

Country of Origin **South Korea (subject to change)**

Product Description

Non-cycling refrigerated compressed air dryers have cooling systems that run continuously until manually turned off. These dryers are suitable for applications that need a constant supply of compressed air.



HANKISON Refrigerated Air Dryer: ISO Class 6, 25 cfm, 115V AC, 3/4 in NPT, 46°F Dew Point, 0.41 kW

Item **3YA45**

Web Price 

\$1,809.29 / each

Qty

1


Add to Cart

Compatible Products



SPEEDAIRE Pneumatic Oil Filter: Coalescing, 1/2 in NPT, 0.01 micron, 35 cfm, 250 psi Max Op Pressure

Item **4ZL45**

Web Price 

\$96.96 / each

Qty


1

Add to Cart



SPEEDAIRE Refrigerated Dryer Maintenance Kit: Drain Service Kit, 2DAY7

Item **2DAY7**

Web Price 

\$228.11 / each


Qty
1

Add to Cart



SPEEDAIRE Compressed Air Filter: Particulate, 1/2 in NPT, 5 micron, 140 cfm, 250 psi Max Op Pressure

Item **4ZL49**

Web Price 

\$111.55 / each

Qty
1

Add to Cart

[View More](#) 

Replacement Parts



SPEEDAIRE Refrigerated Dryer Maintenance Kit: Drain Service Kit, 2DAY7

Item **2DAY7**

Web Price 

\$228.11 / each

Qty
1

Add to Cart